

These are the mixing rates for Roundup Tree Stump and Root Killer when added to: 1 Litre of water in a SPRAYER 5 Litres of water in a WATERING CAN		Area Treated	Ideal time of year to treat.
<u>Tough Perennial and Broad-leaved Weeds:</u> Brambles Bracken Nettles Horsetail Japanese Knotweed	20 ml	30 m ²	Brambles, Nettles Scrub: <i>June – September</i> Horsetail and Bracken: <i>July – August</i> Fully Grown Nettles: <i>Cut back in early Summer and treat re-growth in September</i> Japanese Knotweed <i>For best results apply at flowering [August to September].</i> <i>May also treat from May to September when stems are 1-1.5m high.</i> <i>Repeat once re-growth reaches 1-1.5m.</i>
<u>Saplings:</u> Beech, Sycamore, Oak, Hazel, Ash and Willow	20 ml		<i>Treat June to August before leaf senescence or before leaf fall.</i>

Bottle measuring cap for dosing 10ml and 20ml.

1 Litre = 2 pints [approx]
 5 Litres = 1 gallon [approx]



Q. Why do you need the same amount of Roundup GC in a 1 litre sprayer as you do for a 5 litre watering can?

A. The output of a watering can is about 5 times greater than that of a sprayer. So 1 litre of spray will treat the same area as a 5 litres watering can. The same amount of Roundup is need to treat, say 20m², whether you use a sprayer or a watering can, so the same Roundup dose must be used for both.

ALWAYS READ THE LABEL ; USE PESTICIDES SAFELY